SPRAYGRO LIQUID FERTILIZERS
52 BEDFORD STREET, GILLMAN, SOUTH AUSTRALIA 5013 • P.O. BOX 494 PORT ADELAIDE BUSINESS CENTRE
PORT ADELAIDE, SOUTH AUSTRALIA 5015 • A.B.N. 47 007 974 496
PHONE: (08) 8447 7266 • FAX: (08) 8240 1844 • Email: spraygro@pickmowl.com.au

PRODUCED AND MANUFACTURED IN AUSTRALIA

NOT APPLICABLE TO 1000 LITRE CONTAINERS

drumMUSTER eligible container

STORAGE & DISPOSAL:

Do not contaminate water, food or feed by storage or disposal. Triple rinse container, empty rinsate into spray tank. Dispose of the empty container according to approved local practices, contact primary industries for disposal information.

BASE™ 15-18-20 + trace elements is designed primarily as a fertilizer to be used as a true 'base' fertilizer starter in horticulture.

Apply via fertigation to the following crops or via bandspray.

Apples & Pears	@ 20 litres/hectare.	Apply at silver tip and 2 weeks before harvest.
Asparagus	@ 10 litres/hectare.	Apply at mid-fern.
Avocado	@ 15 litres/hectare.	Apply at spring bud development and again after harvest in autumn.
Brassica's & Carrots	@ 15-30 litres/hectare.	Apply pre plant.
Citrus	@ 10-20 litres/hectare.	Apply during winter pre-blossom, full bloom and again at autumn flush.
Coffee	@ 30-40 litres/hectare.	Apply soil application and again at mid-season.
Cucurbits	@ 30-50 litres/hectare.	Apply pre-plant and 10-20 litres/hectare at 4-5 leaves.
Macadamia Nuts	@ 10-15 litres/hectare.	Apply at spring flush.
Mango	@ 15-20 litres/hectare.	Apply at dormancy and 10-15 litres/hectare during fruit swelling.
Nut Trees	@ 15-20 litres/hectare.	Apply at spring bud burst.
Pineapples	@ 4-6 litres/hectare.	Apply at start of leaf growth early spring x 3-4 applications 4 weeks apart.
Potatoes	@ 15-20 litres/hectare.	Apply at emergence/early growth.
Stone Fruit	@ 15-20 litres/hectare.	Apply at winter bud.
Strawberries	@ 15-20 litres/hectare.	Apply 1-2 weeks after transplanting and at 10-15 litres/hectare at flowering.
Sugar Cane	@ 10-15 litres/hectare.	Apply at 2-3ft high and again at 4ft high onwards.
Table Grapes - red	@ 10-15 litres/hectare.	Apply at bud burst, berries forming 3mm and again at post harvest.
Tea	@ 15-20 litres/hectare.	Apply late season.
Wine Grapes - red	@ 10-15 litres/hectare.	Apply at bud burst.

SPRAYGRO

LIQUID FERTILIZER

BASE™

N P K

15 : 18 : 20 W/V

+ Chelated Trace Elements

20 Litre NET 200 Litre NET 1000 Litre NET

43 HN-1

CAUTION

The following conditions must be observed in order to apply SprayGro product blends successfully. Failure to follow these instructions may result in damage to the plant.

- Use SprayGro product under conditions of optimum plant growth including highest humidity, moderate temperatures and adequate soil moisture. Early morning or late afternoon spraying is most effective as evaporation can occur during hotter parts of the day.
- **Physically compatible** with a wide range of commonly used spray chemicals. When mixing with other chemicals, always mix a small quantity (e.g. bucket test) and check for precipitate (fall out) in mixture. If precipitation occurs, do not proceed further.
- Add wettable or soluble powders, emulsifiables or flowables to water in the mix and wet, dissolve or disperse before adding SprayGro product.
- Use the correct label spray rates of any pesticide used with SprayGro product.
- **DO NOT** use when crop is under heavy stress from pests, heat or inadequate moisture levels.
- **DO NOT** apply by aircraft if surface wind is greater than 8 kph to assure adequate crop coverage and droplet deposition.
- **DO NOT** spray to run off. **Do not** spray to visible droplet coalescence. **Do not** allow concentrated spray mist to run on fruit or leaves.
- **DO NOT** apply during the heat of the day.

NOTE: We recommend that when applying to a crop or area for the first time, or in combination with other chemicals, a small test area should be sprayed and observed prior to the total crop spray.

Safety glasses, gloves and protective clothing should be worn when using this product.

DISCLAIMER/CONDITIONS OF SALE: **1)** Foliar Fertilizers Pty Ltd trading as Spraygro Liquid Fertilizer and its servants and agents ("Spraygro") shall be under no liability to the purchaser and or user of Spraygro products ("customer") in respect of any loss or damage including consequential loss or damage which may be suffered, incurred or arise directly or indirectly in respect of such products, or the use thereof, in accordance with the Spraygro Product Profile or not. **2)** The customer warrants that there has been no reliance by the customer upon any representation made by Spraygro or upon and descriptions, illustrations or specifications contained in Spraygro's Product Profile or any other document produced by Spraygro. **3)** The customer understands that any representation of the type set out above is on the basis that the customer must independently verify the accuracy thereof. **4)** The customer shall at all times indemnify and hold harmless Spraygro from and against all loss (including reasonable legal costs and expenses) or liability reasonably incurred of suffered by Spraygro arising from any proceedings or threatened proceedings against Spraygro by or involving the customer. **5)** Spraygro warrants that this product consists of the ingredients specified and is reasonably fit for the purpose stated on this label when used in accordance with directions under normal conditions of use. No one other than an authorised officer of Spraygro is authorised to make any warranty, guarantee or direction concerning this product. **6)** Before using please obtain a current Product Profile which is available from Spraygro or our Distributor.

9 333056 001556

BATCH No.