


BATCH No.

9 13 303 5100 14 33



DISCLAIMER/CONDITIONS OF SALE: 1) Folar Fertilizer Pty Ltd trading as Spraygro Liquid Fertilizer and its servants and agents (Spraygro) warrant that the product is as described on the Spraygro Product Profile and that it is fit for the purposes stated on the Spraygro Product Profile.

2) Spraygro warrants that the product is fit for the purposes stated on the Spraygro Product Profile and that it is fit for the purposes stated on the Spraygro Product Profile.

3) Spraygro warrants that the product is fit for the purposes stated on the Spraygro Product Profile and that it is fit for the purposes stated on the Spraygro Product Profile.

4) Spraygro warrants that the product is fit for the purposes stated on the Spraygro Product Profile and that it is fit for the purposes stated on the Spraygro Product Profile.

5) Spraygro warrants that the product is fit for the purposes stated on the Spraygro Product Profile and that it is fit for the purposes stated on the Spraygro Product Profile.

6) Spraygro warrants that the product is fit for the purposes stated on the Spraygro Product Profile and that it is fit for the purposes stated on the Spraygro Product Profile.

7) Spraygro warrants that the product is fit for the purposes stated on the Spraygro Product Profile and that it is fit for the purposes stated on the Spraygro Product Profile.

8) Spraygro warrants that the product is fit for the purposes stated on the Spraygro Product Profile and that it is fit for the purposes stated on the Spraygro Product Profile.

9) Spraygro warrants that the product is fit for the purposes stated on the Spraygro Product Profile and that it is fit for the purposes stated on the Spraygro Product Profile.

10) Spraygro warrants that the product is fit for the purposes stated on the Spraygro Product Profile and that it is fit for the purposes stated on the Spraygro Product Profile.

11) Spraygro warrants that the product is fit for the purposes stated on the Spraygro Product Profile and that it is fit for the purposes stated on the Spraygro Product Profile.

12) Spraygro warrants that the product is fit for the purposes stated on the Spraygro Product Profile and that it is fit for the purposes stated on the Spraygro Product Profile.

13) Spraygro warrants that the product is fit for the purposes stated on the Spraygro Product Profile and that it is fit for the purposes stated on the Spraygro Product Profile.

14) Spraygro warrants that the product is fit for the purposes stated on the Spraygro Product Profile and that it is fit for the purposes stated on the Spraygro Product Profile.

15) Spraygro warrants that the product is fit for the purposes stated on the Spraygro Product Profile and that it is fit for the purposes stated on the Spraygro Product Profile.

16) Spraygro warrants that the product is fit for the purposes stated on the Spraygro Product Profile and that it is fit for the purposes stated on the Spraygro Product Profile.

17) Spraygro warrants that the product is fit for the purposes stated on the Spraygro Product Profile and that it is fit for the purposes stated on the Spraygro Product Profile.

18) Spraygro warrants that the product is fit for the purposes stated on the Spraygro Product Profile and that it is fit for the purposes stated on the Spraygro Product Profile.

19) Spraygro warrants that the product is fit for the purposes stated on the Spraygro Product Profile and that it is fit for the purposes stated on the Spraygro Product Profile.

20) Spraygro warrants that the product is fit for the purposes stated on the Spraygro Product Profile and that it is fit for the purposes stated on the Spraygro Product Profile.

08 SR-4

SPRAYTRACE 7

Nitrogen	5.0% W/W	Manganese	2.0% W/W
Sulphur	6.0% W/W	Copper	1.0% W/W
Zinc	3.0% W/W	Boron	0.65% W/W
Iron	2.5% W/W	Molybdenum	0.05% W/W

20 Litre NET 200 Litre NET 1000 Litre NET

SMARTTRACE[®] CHELATED ELEMENTS



CAUTION

The following conditions must be observed in order to apply SprayGro product blends successfully. Failure to follow these instructions may result in damage to the plant.

- Use SprayGro product under conditions of optimum plant growth including highest humidity, moderate temperatures and adequate soil moisture. Early morning or late afternoon spraying is most effective as evaporation can occur during hotter parts of the day.
- When mixing with other chemicals, always mix a small quantity (e.g. bucket test) and check for precipitate (fall out) in mixture. If precipitation occurs, do not proceed further.
- Add vegetable or soluble powders, emulsifiables or flowables to water in the mix and wet, dissolve or disperse before adding SprayGro product.
- Use the correct label spray rates of any pesticide used with SprayGro product.
- **DO NOT** use when crop is under heavy stress from pests, heat or inadequate moisture levels.
- **DO NOT** apply by aircraft if surface wind is greater than 8 kph to assure adequate crop coverage and droplet deposition.
- **DO NOT** spray to run off. **Do not** spray to visible droplet coalescence. **Do not** allow concentrated spray mist to run on fruit or leaves.
- **DO NOT** apply during the heat of the day.

NOTE: We recommend that when applying to a crop or area for the first time, or in combination with other chemicals, a small test area should be sprayed and observed prior to the total crop spray.

SAFETY DIRECTIONS: Keep container closed. Use with adequate ventilation. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Safety glasses, gloves and protective clothing should be worn when using this product.

APPLICATION RECOMMENDATIONS: SPRAYGRO SMARTTRACE SPRAYTRACE 7. Apply only when trace element deficiencies exist. Apply with sufficient water for thorough coverage of leaves.

VINES @ 2-4 litres/hectare. Apply at regular intervals from bud burst.

TURF: Rate and time of application: Apply when turf is actively growing up to 4 applications annually. USGA spec greens apply monthly, to improve stress tolerance and colour.

COTTON @ 3-5 litres/hectare. All purpose foliar apply prior to irrigation.

CEREALS @ 3-5 litres/hectare. Apply at 4 leaf stage and at tillering if required.

HORTICULTURE: Rate of application per min water/hectare: 300 litres CITRUS @ 5-6 litres/hectare. Apply 2 applications at bud burst 7-14 days apart. Apply at fruit set and filling.

The rates must be adjusted according to the tissue and/or soil analysis results. **NOTE:** Only mix diluted chelate formulations with liquid NPK's and do not store solution.

ANALYSIS	AUSTRALIA W/V %	INTERNATIONAL W/V %
Nitrogen N	5.0	3.8
Sulphur S	6.0	4.6
Zinc Zn	3.0	2.3
Iron Fe	3.0	2.3
Magnesium Mg	1.0	0.77
Copper Cu	1.0	0.77
Boron B	0.77	0.60
Molybdenum Mo	0.05	0.04

Specific gravity 1.30

STORAGE & DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Triple rinse container, empty, rinse into spray tank. Dispose of the empty container according to approved local practices, contact primary industries for disposal information.

SPRAYGRO LIQUID FERTILISERS
52 BEDFORD STREET, GILLMAN, SOUTH AUSTRALIA 5015 • P.O. BOX 494, PORT ADELAIDE BUSINESS CENTRE
PORT ADELAIDE, SOUTH AUSTRALIA 5015 • A.B.N. 47 037 974 496
PHONE: (08) 8447 7266 • FAX: (08) 8240 1844 • Email: spraygro@spraygro.com.au

PRODUCED AND MANUFACTURED IN AUSTRALIA



NOT APPLICABLE TO 1000 LITRE CONTAINERS